

# WHIMS Coordinating Center Document

Created: September 20, 2012

Dataset Name: p3form\_postc

Description: WHIMS STUDY Post Trial  
Form D, Phase 3: Clinical Evaluation

Structure: multiple rows per participant

---

Variable #: 1  
SAS name: id  
SAS label: Participant ID  
Categories: cognitive  
Usage Notes: none

Variable #: 2  
SAS name: memory  
SAS label: 1. Acquired MEMORY problem  
Categories: cognitive  
Usage Notes: none

<b>memory</b>	<b>PERCENT</b>	<b>Number</b>
.	0.2	1
0 No	24.0	100
1 Yes	73.8	307
9 Dont Know	2.0	8

Variable #: 3  
SAS name: language  
SAS label: 2. Acquired LANGUAGE problem  
Categories: cognitive  
Usage Notes: none

<b>language</b>	<b>PERCENT</b>	<b>Number</b>
.	0.4	2
0 No	63.8	265
1 Yes	33.6	140
9 Dont Know	2.2	9

Variable #: 4  
SAS name: behavior  
SAS label: 3. PERSONALITY/BEHAVIOR changes  
Categories: cognitive  
Usage Notes: none

<b>behavior</b>	<b>PERCENT</b>	<b>Number</b>
.	0.2	1
0 No	79.8	332
1 Yes	18.6	77
9 Dont Know	1.4	6

Variable #: 5  
 SAS name: orientat  
 SAS label: 4. DISORIENTATION  
 Categories: cognitive  
 Usage Notes: none

<b>orientat</b>	<b>PERCENT</b>	<b>Number</b>
.	0.2	1
0 No	62.6	260
1 Yes	36.2	151
9 Dont Know	1.0	4

Variable #: 6  
 SAS name: activiti  
 SAS label: 5. ACTIVITIES OF DAILY LIVING  
 Categories: cognitive Usage Notes: none

<b>activiti</b>	<b>PERCENT</b>	<b>Number</b>
.	1.0	4
0 No	76.4	318
1 Yes	21.4	89
9 Dont Know	1.2	5

Variable #: 7  
 SAS name: social  
 SAS label: 6. SOCIAL/COMMUNITY/INTELLECTUAL  
 Categories: cognitive  
 Usage Notes: none

<b>social</b>	<b>PERCENT</b>	<b>Number</b>
.	1.0	4
0 No	76.4	318
1 Yes	19.8	82
9 Dont Know	2.8	12

Variable #: 8  
 SAS name: judgemen  
 SAS label: 7. JUDGEMENT/PROBLEM SOLVING diff  
 Categories: cognitive  
 Usage Notes: none

<b>judgemen</b>	<b>PERCENT</b>	<b>Number</b>
.	0.8	3
0 No	73.8	307
1 Yes	22.8	95

9 Dont Know	2.6	11
-------------	-----	----

Variable #: 9  
SAS name: impair  
SAS label: 8. ADDITIONAL ACQUIRED IMPAIRMENTS  
Categories: cognitive  
Usage Notes: none

<b>impair</b>	<b>PERCENT</b>	<b>Number</b>
.	9.8	41
0 No	76.0	316
1 Yes	13.2	55
9 Dont Know	1.0	4

Variable #: 10  
SAS name: symptoms  
SAS label: 9. Symptoms first apparent  
Categories: cognitive  
Usage Notes: none

<b>symptoms</b>	<b>PERCENT</b>	<b>Number</b>
.	23.0	96
1 less than six months ago	5.6	23
2 6 to 12 months ago	13.0	54
3 one to two years ago	23.6	98
4 more than two years ago	34.8	145

Variable #: 11  
SAS name: tocomeon  
SAS label: 10. Quickness of symptoms  
Categories: cognitive  
Usage Notes: none

<b>tocomeon</b>	<b>PERCENT</b>	<b>Number</b>
.	22.2	92
1 very gradually	62.0	258
2 over a period of 1-3 months (subacute)	4.6	19
3 suddenly (within one month)	8.2	34
4 other	3.2	13

Variable #: 12  
 SAS name: progress  
 SAS label: 11. Symptom progression  
 Categories: cognitive  
 Usage Notes: none

<b>progress</b>	<b>PERCENT</b>	<b>Number</b>
.	22.8	95
1 steadily worsened	39.2	163
2 seemed to go up and down (stepwise)	4.8	20
3 got worse and then levelled off	18.6	77
4 other	14.6	61

Variable #: 13  
 SAS name: hdisease  
 SAS label: 1a. Heart Disease  
 Categories: cognitive  
 Usage Notes: none

<b>hdisease</b>	<b>PERCENT</b>	<b>Number</b>
0 No	67.8	282
1 Yes	31.8	132
9 Dont Know	0.4	2

Variable #: 14  
 SAS name: hattack  
 SAS label: 1a. Heart Attack  
 Categories: cognitive  
 Usage Notes: none

<b>Hattack</b>	<b>PERCENT</b>	<b>Number</b>
.	68.2	284
0 No	21.6	90
1 Yes	9.2	38
9 Dont Know	1.0	4

Variable #: 15  
 SAS name: hfailure  
 SAS label: 1a. Congestive Heart Failure  
 Categories: cognitive  
 Usage Notes: none

<b>Hfailure</b>	<b>PERCENT</b>	<b>Number</b>
.	68.6	285
0 No	26.0	108
1 Yes	4.8	20

9 Dont Know	0.8	3
-------------	-----	---

Variable #: 16  
SAS name: cpain  
SAS label: 1a. Chest Pain  
Categories: cognitive  
Usage Notes: none

<b>Cpain</b>	<b>PERCENT</b>	<b>Number</b>
.	69.4	289
0 No	25.2	105
1 Yes	5.0	21
9 Dont Know	0.2	1

Variable #: 17  
SAS name: skipped  
SAS label: 1a. Irregular heartbeats  
Categories: cognitive  
Usage Notes: none

<b>skipped</b>	<b>PERCENT</b>	<b>Number</b>
.	68.6	285
0 No	18.6	77
1 Yes	12.8	53
9 Dont Know	0.2	1

Variable #: 18  
SAS name: bypass  
SAS label: 1a. Coronary Bypass  
Categories: cognitive  
Usage Notes: none

<b>bypass</b>	<b>PERCENT</b>	<b>Number</b>
.	68.2	284
0 No	26.4	110
1 Yes	5.2	22

Variable #: 19  
SAS name: otherdis  
SAS label: 1a. Other Heart Disease  
Categories: cognitive  
Usage Notes: none

<b>Otherdis</b>	<b>PERCENT</b>	<b>Number</b>
.	71.8	299
0 No	15.8	66
1 Yes	11.8	49
9 Dont Know	0.4	2

Variable #: 20

SAS name: hyperten

SAS label: 1b. Hypertension

Categories: cognitive

Usage Notes: none

<b>Hyperten</b>	<b>PERCENT</b>	<b>Number</b>
.	0.4	2
0 No	37.2	155
1 Yes	61.0	254
9 Dont Know	1.2	5

Variable #: 21

SAS name: diabetes

SAS label: 1c. Diabetes Mellitus

Categories: cognitive

Usage Notes: none

<b>diabetes</b>	<b>PERCENT</b>	<b>Number</b>
.	1.4	6
0 No	84.2	350
1 Yes	14.2	59
9 Dont Know	0.2	1

Variable #: 22

SAS name: thyroid

SAS label: 1d. Thyroid Disease

Categories: cognitive

Usage Notes: none

<b>Thyroid</b>	<b>PERCENT</b>	<b>Number</b>
.	1.2	5
0 No	78.4	326
1 Yes	19.0	79
9 Dont Know	1.4	6

Variable #: 23

SAS name: cancer  
SAS label: 1e. Cancer  
Categories: cognitive  
Usage Notes: none

<b>Cancer</b>	<b>PERCENT</b>	<b>Number</b>
.	0.2	1
0 No	86.0	358
1 Yes	13.4	56
9 Dont Know	0.2	1

Variable #: 24  
SAS name: headinj  
SAS label: 1f. Head Injury  
Categories: cognitive  
Usage Notes: none

<b>headinj</b>	<b>PERCENT</b>	<b>Number</b>
.	0.4	2
0 No	85.0	354
1 Yes	13.8	57
9 Dont Know	0.8	3

Variable #: 25  
SAS name: kidney  
SAS label: 1g. Kidney Disease  
Categories: cognitive  
Usage Notes: none

<b>Kidney</b>	<b>PERCENT</b>	<b>Number</b>
0 No	94.0	391
1 Yes	5.8	24
9 Dont Know	0.2	1



Variable #: 26  
SAS name: liver  
SAS label: 1h. Liver Disease  
Categories: cognitive  
Usage Notes: none

<b>liver</b>	<b>PERCENT</b>	<b>Number</b>
0 No	98.6	410
1 Yes	1.4	6

Variable #: 27  
SAS name: cns  
SAS label: 1j. CNS Disorders  
Categories: cognitive  
Usage Notes: none

<b>cns</b>	<b>PERCENT</b>	<b>Number</b>
.	1.4	6
0 No	92.6	385
1 Yes	5.6	23
9 Dont Know	0.4	2

Variable #: 28  
SAS name: chronic  
SAS label: 1k. Lung Disease  
Categories: cognitive  
Usage Notes: none

<b>chronic</b>	<b>PERCENT</b>	<b>Number</b>
.	0.4	2
0 No	90.0	374
1 Yes	9.4	39
9 Dont Know	0.2	1

Variable #: 29  
 SAS name: vision  
 SAS label: 11. Serious vision/hearing loss  
 Categories: cognitive  
 Usage Notes: none

vision	PERCENT	Number
.	0.8	3
0 No	79.8	332
1 Yes	19.2	80
9 Dont Know	0.2	1

Variable #: 30  
 SAS name: mentale  
 SAS label: 1m. Mental Retardation  
 Categories: cognitive  
 Usage Notes: none

mentale	PERCENT	Number
.	0.4	2
0 No	99.2	413
1 Yes	0.2	1

Variable #: 31  
 SAS name: psychiat  
 SAS label: 1n. Psychiatric Disorders  
 Categories: cognitive  
 Usage Notes: none

psychiat	PERCENT	Number
.	1.0	4
0 No	83.2	346
1 Yes	15.6	65
9 Dont Know	0.2	1

Variable #: 32  
 SAS name: depreson  
 SAS label: 1n. Depression  
 Categories: cognitive  
 Usage Notes: none

depreson	PERCENT	Number
.	77.4	322
0 No	8.6	36
1 Yes	13.2	55

9 Dont Know	0.8	3
-------------	-----	---

Variable #: 33  
 SAS name: panic  
 SAS label: 1n. Anxiety, Panic  
 Categories: cognitive  
 Usage Notes: none

panic	PERCENT	Number
.	81.2	338
0 No	14.2	59
1 Yes	4.4	18
9 Dont Know	0.2	1

Variable #: 34  
 SAS name: schizoph  
 SAS label: 1n. Schizophrenia/Psychotic  
 Categories: cognitive  
 Usage Notes: none

schizoph	PERCENT	Number
.	82.6	344
0 No	17.4	72

Variable #: 35  
 SAS name: bipolar  
 SAS label: 1n. Bipolar  
 Categories: cognitive  
 Usage Notes: none

bipolar	PERCENT	Number
.	82.6	344
0 No	16.4	68
1 Yes	1.0	4

Variable #: 36  
 SAS name: othdisor  
 SAS label: 1n. Other Psychiatric Disorders  
 Categories: cognitive  
 Usage Notes: none

othdisor	PERCENT	Number
.	84.4	351
0 No	14.4	60
1 Yes	1.2	5

Variable #: 37  
 SAS name: othermaj  
 SAS label: 1o. Other major Diseases, etc  
 Categories: cognitive  
 Usage Notes: none

<b>othermaj</b>	<b>PERCENT</b>	<b>Number</b>
.	8.8	37
0 No	49.6	206
1 Yes	41.4	172
9 Dont Know	0.2	1

Variable #: 38  
 SAS name: cogdecli  
 SAS label: 1. Probs affect cognitive decline  
 Categories: cognitive  
 Usage Notes: none

<b>cogdecli</b>	<b>PERCENT</b>	<b>Number</b>
.	15.0	62
0 No	60.8	253
1 Yes	16.8	70
9 Dont Know	7.4	31

Variable #: 39  
 SAS name: hospital  
 SAS label: 2. Ppt in hospital  
 Categories: cognitive  
 Usage Notes: none

<b>hospital</b>	<b>PERCENT</b>	<b>Number</b>
.	2.2	9
0 No	45.4	189
1 Yes	51.2	213
9 Dont Know	1.2	5

Variable #: 40  
 SAS name: minorstr  
 SAS label: 3. Major/Minor Stroke  
 Categories: cognitive  
 Usage Notes: none

<b>Minorstr</b>	<b>PERCENT</b>	<b>Number</b>
-----------------	----------------	---------------

.	0.2	1
0 No	82.2	342
1 Yes	15.4	64
9 Dont Know	2.2	9

Variable #: 41  
SAS name: loss  
SAS label: 4a. Loss of Consciousness  
Categories: cognitive  
Usage Notes: none

loss	PERCENT	Number
.	83.2	346
0 No	11.2	47
1 Yes	3.6	15
9 Dont Know	2.0	8

Variable #: 42  
SAS name: dizzines  
SAS label: 4b. Minor fainting, dizziness  
Categories: cognitive  
Usage Notes: none

dizzines	PERCENT	Number
.	83.4	347
0 No	12.0	50
1 Yes	2.4	10
9 Dont Know	2.2	9

Variable #: 43  
 SAS name: paralyse  
 SAS label: 4c. Facial Paralysis  
 Categories: cognitive  
 Usage Notes: none

<b>paralyse</b>	<b>PERCENT</b>	<b>Number</b>
.	83.4	347
0 No	11.8	49
1 Yes	3.2	13
9 Dont Know	1.6	7

Variable #: 44  
 SAS name: deficit  
 SAS label: 4d. Loss of vision  
 Categories: cognitive  
 Usage Notes: none

<b>deficit</b>	<b>PERCENT</b>	<b>Number</b>
.	83.8	349
0 No	11.2	47
1 Yes	3.4	14
9 Dont Know	1.4	6

Variable #: 45  
 SAS name: spechchg  
 SAS label: 4e. Speech Change  
 Categories: cognitive  
 Usage Notes: none

<b>spechchg</b>	<b>PERCENT</b>	<b>Number</b>
.	83.4	347
0 No	6.4	27
1 Yes	8.8	37
9 Dont Know	1.2	5

Variable #: 46  
 SAS name: weak  
 SAS label: 4f. Weakness of limbs  
 Categories: cognitive  
 Usage Notes: none

<b>weak</b>	<b>PERCENT</b>	<b>Number</b>
.	83.4	347
0 No	7.2	30
1 Yes	7.2	30
9 Dont Know	2.2	9

Variable #: 47  
 SAS name: trunk  
 SAS label: 4g. Lost sensation in trunk/limbs  
 Categories: cognitive  
 Usage Notes: none

<b>trunk</b>	<b>PERCENT</b>	<b>Number</b>
.	83.6	348
0 No	10.0	42
1 Yes	4.6	19
9 Dont Know	1.6	7

Variable #: 48  
 SAS name: cerebral  
 SAS label: 5. Cerebral hypoperfusion  
 Categories: cognitive  
 Usage Notes: none

<b>cerebral</b>	<b>PERCENT</b>	<b>Number</b>
.	83.4	347
0 No	15.0	62
1 Yes	1.0	4
9 Dont Know	0.8	3

Variable #: 49  
 SAS name: parkinsn  
 SAS label: 6. Parkinsons Disease  
 Categories: cognitive  
 Usage Notes: none

<b>parkinsn</b>	<b>PERCENT</b>	<b>Number</b>
.	0.2	1
0 No	99.2	413
1 Yes	0.4	2

Variable #: 50  
 SAS name: therapy  
 SAS label: 8. Anti-Parkinson Therapy  
 Categories: cognitive  
 Usage Notes: none

<b>therapy</b>	<b>PERCENT</b>	<b>Number</b>
.	94.2	392
0 No	5.2	22
1 Yes	0.4	2

Variable #: 51  
 SAS name: skin  
 SAS label: 5. Skin  
 Categories: cognitive  
 Usage Notes: none

<b>skin</b>	<b>PERCENT</b>	<b>Number</b>
.	1.4	6
0 Normal	88.8	369
1 Abnormal	9.8	41

Variable #: 52  
 SAS name: head  
 SAS label: 6. Head  
 Categories: cognitive  
 Usage Notes: none

<b>head</b>	<b>PERCENT</b>	<b>Number</b>
.	2.8	12
0 Normal	87.8	365
1 Abnormal	9.4	39



Variable #: 53  
 SAS name: carotid  
 SAS label: 7. Carotid Bruits  
 Categories: cognitive  
 Usage Notes: none

<b>carotid</b>	<b>PERCENT</b>	<b>Number</b>
.	1	4
0 Absent	93	387
1 Present	6	25

Variable #: 54  
 SAS name: rcarotid  
 SAS label: 7a. Right carotid  
 Categories: cognitive  
 Usage Notes: none

<b>rcarotid</b>	<b>PERCENT</b>	<b>Number</b>
.	96	399
-1 Present/Applies/True	4	17

Variable #: 55  
 SAS name: lcarotid  
 SAS label: 7b. Left carotid  
 Categories: cognitive  
 Usage Notes: none

<b>lcarotid</b>	<b>PERCENT</b>	<b>Number</b>
.	97.6	406
-1 Present/Applies/True	2.4	10

Variable #: 56  
 SAS name: lung  
 SAS label: 8. Lung  
 Categories: cognitive  
 Usage Notes: none

<b>lung</b>	<b>PERCENT</b>	<b>Number</b>
.	0.8	3
0 Normal	94.8	394
1 Abnormal	4.6	19

Variable #: 57  
SAS name: heart  
SAS label: 9. Heart  
Categories: cognitive  
Usage Notes: none

<b>heart</b>	<b>PERCENT</b>	<b>Number</b>
.	0.8	3
0 Normal	86.0	358
1 Abnormal	13.2	55

Variable #: 58  
SAS name: abdomen  
SAS label: 10. Abdomen  
Categories: cognitive  
Usage Notes: none

<b>abdomen</b>	<b>PERCENT</b>	<b>Number</b>
.	2.4	10
0 Normal	94.4	393
1 Abnormal	3.2	13

Variable #: 59  
SAS name: back  
SAS label: 11. Back  
Categories: cognitive  
Usage Notes: none

<b>back</b>	<b>PERCENT</b>	<b>Number</b>
.	0.2	1
0 Normal	98.4	409
1 Abnormal	1.4	6

Variable #: 60  
SAS name: limbs  
SAS label: 12. Limbs  
Categories: cognitive  
Usage Notes: none

<b>limbs</b>	<b>PERCENT</b>	<b>Number</b>
.	1.0	4
0 Normal	87.8	365
1 Abnormal	11.2	47

Variable #: 61  
SAS name: joints  
SAS label: 13. Joints

Categories: cognitive  
Usage Notes: none

<b>joints</b>	<b>PERCENT</b>	<b>Number</b>
.	0.8	3
0 Normal	70.0	291
1 Abnormal	29.4	122

Variable #: 62  
SAS name: vascular  
SAS label: 14. Peripheral Vascular  
Categories: cognitive  
Usage Notes: none

<b>vascular</b>	<b>PERCENT</b>	<b>Number</b>
.	1.0	4
0 Normal	89.4	372
1 Abnormal	9.6	40

Variable #: 63  
SAS name: attentio  
SAS label: 16. Attention/Concentration  
Categories: cognitive  
Usage Notes: none

<b>attentio</b>	<b>PERCENT</b>	<b>Number</b>
.	2.2	9
0 Normal	90.4	376
1 Abnormal	7.4	31

Variable #: 64  
SAS name: span  
SAS label: 16a. Digit Span  
Categories: cognitive  
Usage Notes: none

<b>span</b>	<b>PERCENT</b>	<b>Number</b>
.	11.6	48
0 Normal	83.0	345
1 Abnormal	5.6	23

Variable #: 65  
SAS name: concentr  
SAS label: 16b. Concentration  
Categories: cognitive  
Usage Notes: none

<b>concentr</b>	<b>PERCENT</b>	<b>Number</b>
.	11.6	48
0 Normal	81.2	338
1 Abnormal	7.2	30

Variable #: 66  
SAS name: aphasia  
SAS label: 17. Language (aphasia)  
Categories: cognitive  
Usage Notes: none

<b>aphasia</b>	<b>PERCENT</b>	<b>Number</b>
.	1.6	7
0 Normal	86.8	361
1 Abnormal	11.6	48

Variable #: 67  
SAS name: macular  
SAS label: 18. Vision (macular degen)  
Categories: cognitive  
Usage Notes: none

<b>macular</b>	<b>PERCENT</b>	<b>Number</b>
.	1.4	6
0 Normal	81.2	338
1 Abnormal	17.4	72

Variable #: 68  
SAS name: hearing  
SAS label: 19. Hearing  
Categories: cognitive  
Usage Notes: none

<b>hearing</b>	<b>PERCENT</b>	<b>Number</b>
.	2.0	8
0 Normal	73.8	307
1 Abnormal	24.2	101

Variable #: 69  
SAS name: nerves  
SAS label: 20. Cranial Nerves  
Categories: cognitive  
Usage Notes: none

nerves	PERCENT	Number
.	3.8	16
0 Normal	83.8	349
1 Abnormal	12.2	51

Variable #: 70  
SAS name: motor  
SAS label: 21. Motor Examination  
Categories: cognitive  
Usage Notes: none

motor	PERCENT	Number
.	0.4	2
0 Normal	83.2	346
1 Abnormal	16.4	68

Variable #: 71  
SAS name: strength  
SAS label: 22a. Strength  
Categories: cognitive  
Usage Notes: none

strength	PERCENT	Number
.	76.0	316
0 Normal	16.4	68
1 Abnormal	7.6	32

Variable #: 72  
SAS name: bulk1  
SAS label: 22b. Bulk  
Categories: cognitive  
Usage Notes: none

bulk1	PERCENT	Number
.	76.2	317
0 Normal	21.8	91
1 Abnormal	2.0	8

Variable #: 73  
 SAS name: tone  
 SAS label: 22c. Tone  
 Categories: cognitive  
 Usage Notes: none

<b>tone</b>	<b>PERCENT</b>	<b>Number</b>
.	76.4	318
0 Normal	19.4	81
1 Abnormal	4.0	17

Variable #: 74  
 SAS name: movement  
 SAS label: 22d. Movement  
 Categories: cognitive  
 Usage Notes: none

<b>Movement</b>	<b>PERCENT</b>	<b>Number</b>
.	76.4	318
0 Normal	16.4	68
1 Abnormal	7.2	30

Variable #: 75  
 SAS name: brain  
 SAS label: 22f. Brain origins  
 Categories: cognitive  
 Usage Notes: none

<b>brain</b>	<b>PERCENT</b>	<b>Number</b>
.	78.4	326
0 No/Normal	12.2	51
1 Yes/Abnormal	9.4	39

Variable #: 76  
 SAS name: sensatio  
 SAS label: 23. Sensation  
 Categories: cognitive  
 Usage Notes: none

<b>sensatio</b>	<b>PERCENT</b>	<b>Number</b>
.	1.2	5
0 Normal	77.2	321
1 Abnormal	21.6	90

Variable #: 77

SAS name: face

SAS label: 23a. Suspect CNS Origin

Categories: cognitive

Usage Notes: none

<b>face</b>	<b>PERCENT</b>	<b>Number</b>
.	80.8	336
0 No/Normal	15.8	66
1 Yes/Abnormal	3.4	14

Variable #: 78

SAS name: pns

SAS label: 23b. Suspect PNS Origin

Categories: cognitive

Usage Notes: none

<b>pns</b>	<b>PERCENT</b>	<b>Number</b>
.	78.8	328
0 No/Normal	3.4	14
1 Yes/Abnormal	17.8	74

Variable #: 79

SAS name: nerve

SAS label: 23c. Suspect Cranial Nerve Origin

Categories: cognitive

Usage Notes: none

<b>nerve</b>	<b>PERCENT</b>	<b>Number</b>
.	82.2	342
0 No/Normal	16.8	70
1 Yes/Abnormal	1.0	4

Variable #: 80

SAS name: coordina

SAS label: 24. Coordination

Categories: cognitive

Usage Notes: none

<b>coordina</b>	<b>PERCENT</b>	<b>Number</b>
.	0.8	3
0 Normal	90.0	374
1 Abnormal	9.4	39

Variable #: 81  
SAS name: tendon  
SAS label: 25. Deep Tendon Reflexes  
Categories: cognitive  
Usage Notes: none

tendon	PERCENT	Number
.	0.8	3
0 Normal	74.2	309
1 Abnormal	25.0	104

Variable #: 82  
SAS name: plantar  
SAS label: 26. Plantar Reflexes  
Categories: cognitive  
Usage Notes: none

plantar	PERCENT	Number
.	0.4	2
0 Normal	89.0	370
1 Abnormal	10.6	44

Variable #: 83  
SAS name: rfoot  
SAS label: 26a. Right Foot  
Categories: cognitive  
Usage Notes: none

rfoot	PERCENT	Number
.	89.6	373
0 Normal	5.6	23
1 Abnormal	4.8	20

Variable #: 84  
SAS name: lfoot  
SAS label: 26b. Left Foot  
Categories: cognitive  
Usage Notes: none

lfoot	PERCENT	Number
.	88.8	369
0 Normal	3.2	13
1 Abnormal	8.2	34



Variable #: 85  
 SAS name: patholog  
 SAS label: 27. Pathological Reflexes  
 Categories: cognitive  
 Usage Notes: none

<b>patholog</b>	<b>PERCENT</b>	<b>Number</b>
.	5.2	22
0 Absent	72.8	303
1 Present	21.8	91

Variable #: 86  
 SAS name: grasp  
 SAS label: 27a. Grasp  
 Categories: cognitive  
 Usage Notes: none

<b>grasp</b>	<b>PERCENT</b>	<b>Number</b>
.	96.2	400
-1 Present/Applies/True	3.8	16

Variable #: 87  
 SAS name: glabellar  
 SAS label: 27b. Glabellar  
 Categories: cognitive  
 Usage Notes: none

<b>glabellar</b>	<b>PERCENT</b>	<b>Number</b>
.	93	387
-1 Present/Applies/True	7	29

Variable #: 88  
 SAS name: suck  
 SAS label: 27c. Suck  
 Categories: cognitive  
 Usage Notes: none

<b>suck</b>	<b>PERCENT</b>	<b>Number</b>
.	97.4	405
-1 Present/Applies/True	2.6	11

Variable #: 89  
 SAS name: snout  
 SAS label: 27d. Snout  
 Categories: cognitive  
 Usage Notes: none

<b>snout</b>	<b>PERCENT</b>	<b>Number</b>
.	87	362
-1 Present/Applies/True	13	54

Variable #: 90  
 SAS name: palmomen  
 SAS label: 27e. Palmomental  
 Categories: cognitive  
 Usage Notes: none

<b>palmomen</b>	<b>PERCENT</b>	<b>Number</b>
.	90.4	376
-1 Present/Applies/True	9.6	40

Variable #: 91  
 SAS name: otherpat  
 SAS label: 27f. Other Pathological Reflexes  
 Categories: cognitive  
 Usage Notes: none

<b>otherpat</b>	<b>PERCENT</b>	<b>Number</b>
.	99	412
-1 Present/Applies/True	1	4

Variable #: 92  
 SAS name: gait  
 SAS label: 28. Gait  
 Categories: cognitive  
 Usage Notes: none

<b>gait</b>	<b>PERCENT</b>	<b>Number</b>
.	0.2	1
0 Normal	71.8	299
1 Abnormal	27.8	116

Variable #: 93  
 SAS name: parkin  
 SAS label: 28a. Parkinsonian  
 Categories: cognitive  
 Usage Notes: none

<b>parkin</b>	<b>PERCENT</b>	<b>Number</b>
.	98.8	411
-1 Present/Applies/True	1.2	5

Variable #: 94  
SAS name: ataxia  
SAS label: 28b. Ataxia  
Categories: cognitive  
Usage Notes: none

<b>ataxia</b>	<b>PERCENT</b>	<b>Number</b>
.	96.8	403
-1 Present/Applies/True	3.2	13

Variable #: 95  
SAS name: apraxic  
SAS label: 28c. Apraxic  
Categories: cognitive  
Usage Notes: none

<b>apraxic</b>	<b>PERCENT</b>	<b>Number</b>
.	98	408
-1 Present/Applies/True	2	8

Variable #: 96  
SAS name: spastic  
SAS label: 28d. Spastic  
Categories: cognitive  
Usage Notes: none

<b>spastic</b>	<b>PERCENT</b>	<b>Number</b>
.	99	412
-1 Present/Applies/True	1	4

Variable #: 97  
SAS name: otherabn  
SAS label: 28e. Other Abnormal Gaits  
Categories: cognitive  
Usage Notes: none

<b>otherabn</b>	<b>PERCENT</b>	<b>Number</b>
.	77.8	324
-1 Present/Applies/True	22.2	92

Variable #: 98  
SAS name: whatyear  
SAS label: 1. Current Year  
Categories: cognitive  
Usage Notes: none

<b>whatyear</b>	<b>PERCENT</b>	<b>Number</b>
.	25.0	104
0 Error	7.6	32
1 Correct	67.4	280

Variable #: 99  
SAS name: season  
SAS label: 2. Season of the year  
Categories: cognitive  
Usage Notes: none

<b>season</b>	<b>PERCENT</b>	<b>Number</b>
.	25.0	104
0 Error	8.4	35
1 Correct	66.6	277

Variable #: 100  
SAS name: whatdate  
SAS label: 3. Current Date  
Categories: cognitive  
Usage Notes: none

<b>whatdate</b>	<b>PERCENT</b>	<b>Number</b>
.	25	104
0 Error	26	108
1 Correct	49	204

Variable #: 101  
SAS name: whatday  
SAS label: 4. Current week day  
Categories: cognitive  
Usage Notes: none

<b>whatday</b>	<b>PERCENT</b>	<b>Number</b>
.	25.2	105
0 Error	10.6	44
1 Correct	64.2	267

Variable #: 102  
 SAS name: whatmonth  
 SAS label: 5. Current Month  
 Categories: cognitive  
 Usage Notes: none

Whatmonth	PERCENT	Number
.	25.8	107
0 Error	6.4	27
1 Correct	67.8	282

Variable #: 103  
 SAS name: location  
 SAS label: 6. Current location  
 Categories: cognitive  
 Usage Notes: none

location	PERCENT	Number
.	25.2	105
0 Error	2.2	9
1 Correct	72.6	302

Variable #: 104  
 SAS name: whatcounty  
 SAS label: 7. Current County  
 Categories: cognitive  
 Usage Notes: none

Whatcounty	PERCENT	Number
.	29.4	122
0 Error	12.8	53
1 Correct	58.0	241

Variable #: 105  
 SAS name: whatcity  
 SAS label: 8. Current City/Town  
 Categories: cognitive  
 Usage Notes: none

whatcity	PERCENT	Number
.	26.0	108
0 Error	3.6	15
1 Correct	70.4	293

Variable #: 106  
SAS name: floor  
SAS label: 9. Floor of the building  
Categories: cognitive  
Usage Notes: none

floor	PERCENT	Number
.	25.2	105
0 Error	10.8	45
1 Correct	64.0	266

Variable #: 107  
SAS name: name  
SAS label: 10. Name or Address of place  
Categories: cognitive  
Usage Notes: none

name	PERCENT	Number
.	25.8	107
0 Error	19.2	80
1 Correct	55.0	229

Variable #: 108  
SAS name: rephat  
SAS label: 11a. Repeat Hat  
Categories: cognitive  
Usage Notes: none

rephat	PERCENT	Number
.	25.2	105
0 Error	1.0	4
1 Correct	73.8	307

Variable #: 109  
SAS name: repcar  
SAS label: 11b. Repeat Car  
Categories: cognitive  
Usage Notes: none

repcar	PERCENT	Number
.	25.2	105
0 Error	0.8	3
1 Correct	74.0	308

Variable #: 110  
 SAS name: reptree  
 SAS label: 11c. Repeat Tree  
 Categories: cognitive  
 Usage Notes: none

<b>reptree</b>	<b>PERCENT</b>	<b>Number</b>
.	25.2	105
0 Error	0.2	1
1 Correct	74.6	310

Variable #: 111  
 SAS name: world  
 SAS label: 12. Spell WORLD backwards  
 Categories: cognitive  
 Usage Notes: none

Variable #: 112  
 SAS name: scorelet  
 SAS label: 12. WORLD score  
 Categories: cognitive  
 Usage Notes: none

<b>scorelet</b>	<b>PERCENT</b>	<b>Number</b>
.	27.0	112
0 0 points	0.2	1
2 2 points	1.6	7
3 3 points	2.8	12
4 4 points	14.2	59
5 5 points	54.0	225

Variable #: 113  
 SAS name: remhat  
 SAS label: 13. Remember Hat  
 Categories: cognitive  
 Usage Notes: none

<b>remhat</b>	<b>PERCENT</b>	<b>Number</b>
.	24.8	103
0 Error	28.2	117
1 Correct	47.2	196

Variable #: 114  
SAS name: remcar  
SAS label: 14. Remember Car  
Categories: cognitive  
Usage Notes: none

remcar	PERCENT	Number
.	25	104
0 Error	44	183
1 Correct	31	129

Variable #: 115  
SAS name: remtree  
SAS label: 15. Remember Tree  
Categories: cognitive  
Usage Notes: none

remtree	PERCENT	Number
.	24.8	103
0 Error	41.6	173
1 Correct	33.6	140

Variable #: 116  
SAS name: wwatch  
SAS label: 16. Identify wrist watch  
Categories: cognitive  
Usage Notes: none

wwatch	PERCENT	Number
.	25.2	105
0 Error	0.2	1
1 Correct	74.6	310

Variable #: 117  
SAS name: pencil  
SAS label: 17. Identify pencil  
Categories: cognitive  
Usage Notes: none

pencil	PERCENT	Number
.	25.2	105
0 Error	1.0	4
1 Correct	73.8	307



Variable #: 118  
 SAS name: phraseno  
 SAS label: 18. Repeat phrase  
 Categories: cognitive  
 Usage Notes: none

<b>phraseno</b>	<b>PERCENT</b>	<b>Number</b>
.	25.8	107
0 Error	11.2	47
1 Correct	63.0	262

Variable #: 119  
 SAS name: paperead  
 SAS label: 19. Read the paper  
 Categories: cognitive  
 Usage Notes: none

<b>paperead</b>	<b>PERCENT</b>	<b>Number</b>
.	26.0	108
0 Error	0.2	1
1 Correct	73.8	307

Variable #: 120  
 SAS name: righthan  
 SAS label: 20. Take the paper  
 Categories: cognitive  
 Usage Notes: none

<b>righthan</b>	<b>PERCENT</b>	<b>Number</b>
.	25.8	107
0 Error	5.2	22
1 Correct	69.0	287

Variable #: 121  
 SAS name: folds  
 SAS label: 20. Fold the paper  
 Categories: cognitive  
 Usage Notes: none

<b>folds</b>	<b>PERCENT</b>	<b>Number</b>
.	25.8	107
0 Error	1.6	7
1 Correct	72.6	302

Variable #: 122  
 SAS name: inlap  
 SAS label: 20. Put paper in lap  
 Categories: cognitive  
 Usage Notes: none

<b>inlap</b>	<b>PERCENT</b>	<b>Number</b>
.	25.8	107
0 Error	6.2	26
1 Correct	68.0	283

Variable #: 123  
 SAS name: complsen  
 SAS label: 21. Write complete sentence  
 Categories: cognitive  
 Usage Notes: none

<b>complsen</b>	<b>PERCENT</b>	<b>Number</b>
.	26.0	108
0 Error	2.2	9
1 Correct	71.8	299

Variable #: 124  
 SAS name: drawing  
 SAS label: 22. Copy drawing  
 Categories: cognitive  
 Usage Notes: none

<b>drawing</b>	<b>PERCENT</b>	<b>Number</b>
.	26.2	109
0 Error	21.2	88
1 Correct	52.6	219

Variable #: 125  
 SAS name: sumq22  
 SAS label: Total MMSE score  
 Categories: cognitive  
 Usage Notes: none

<b>N</b>	<b>mean</b>	<b>stddeviation</b>	<b>minimum</b>	<b>maximum</b>
308	25.85	2.96	13.00	30.00

Variable #: 126  
 SAS name: majordep  
 SAS label: 1. MAJOR DEPRESSION  
 Categories: cognitive  
 Usage Notes: none

majordep	PERCENT	Number
.	1.4	6
0 No	90.4	376
1 Yes	8.2	34

Variable #: 127  
 SAS name: panicdis  
 SAS label: 2. PANIC DISORDER  
 Categories: cognitive  
 Usage Notes: none

panicdis	PERCENT	Number
.	1.2	5
0 No	97.8	407
1 Yes	1.0	4

Variable #: 128  
 SAS name: anxiedis  
 SAS label: 3. GENERAL ANXIETY DISORDER  
 Categories: cognitive  
 Usage Notes: none

anxiedis	PERCENT	Number
.	1.2	5
0 No	96.8	403
1 Yes	2.0	8

Variable #: 129  
 SAS name: otheranx  
 SAS label: 4. Different ANXIETY DISORDER  
 Categories: cognitive  
 Usage Notes: none

otheranx	PERCENT	Number
.	2.0	8
0 No	94.8	394
1 Yes	3.4	14

Variable #: 130  
 SAS name: otherpsy  
 SAS label: 6. OTHER PSYCHIATRIC DISORDERS  
 Categories: cognitive  
 Usage Notes: none

<b>otherpsy</b>	<b>PERCENT</b>	<b>Number</b>
.	4.6	19
0 No	93.2	388
1 Yes	2.2	9

Variable #: 131  
 SAS name: sumyes  
 SAS label: Score: Hachinski Ischemic  
 Categories: cognitive  
 Usage Notes: none

<b>N</b>	<b>mean</b>	<b>stddeviation</b>	<b>minimum</b>	<b>maximum</b>
390	3.16	2.78	0.00	14.00

Variable #: 132  
 SAS name: declinem  
 SAS label: 1. Decline in ppt memory  
 Categories: cognitive  
 Usage Notes: none

<b>declinem</b>	<b>PERCENT</b>	<b>Number</b>
.	0.4	2
0 No	25.0	104
1 Yes	71.6	298
9 Dont Know	2.8	12

Variable #: 133  
 SAS name: speechdi  
 SAS label: 2a. Speech disability  
 Categories: cognitive  
 Usage Notes: none

<b>speechdi</b>	<b>PERCENT</b>	<b>Number</b>
.	2.0	8
0 No	67.0	279
1 Yes	29.8	124
9 Dont Know	1.2	5

Variable #: 134  
SAS name: probsolv  
SAS label: 2b. Problem solving  
Categories: cognitive  
Usage Notes: none

<b>probsolv</b>	<b>PERCENT</b>	<b>Number</b>
.	3.8	16
0 No	62.0	258
1 Yes	31.2	130
9 Dont Know	2.8	12

Variable #: 135  
SAS name: dysfunct  
SAS label: 2c. Visuospatial dysfunction  
Categories: cognitive  
Usage Notes: none

<b>dysfunct</b>	<b>PERCENT</b>	<b>Number</b>
.	5.0	21
0 No	74.6	310
1 Yes	18.6	77
9 Dont Know	2.0	8

Variable #: 136  
SAS name: apraxia  
SAS label: 2d. Apraxia  
Categories: cognitive  
Usage Notes: none

<b>apraxia</b>	<b>PERCENT</b>	<b>Number</b>
.	8.4	35
0 No	85.4	355
1 Yes	4.8	20
9 Dont Know	1.4	6

Variable #: 137  
 SAS name: declines  
 SAS label: 3. Signif Decline in function  
 Categories: cognitive  
 Usage Notes: none

<b>declines</b>	<b>PERCENT</b>	<b>Number</b>
.	2.8	12
0 No	67.0	279
1 Yes	27.6	115
9 Dont Know	2.4	10

Variable #: 138  
 SAS name: dementia  
 SAS label: 4. No Dementia  
 Categories: cognitive  
 Usage Notes: none

<b>dementia</b>	<b>PERCENT</b>	<b>Number</b>
.	73	304
-1 Present/Applies/True	27	112

Variable #: 139  
 SAS name: minorcog  
 SAS label: 5. Minor Cognitive Impairment  
 Categories: cognitive  
 Usage Notes: none

<b>minorcog</b>	<b>PERCENT</b>	<b>Number</b>
.	53.4	222
-1 Present/Applies/True	46.6	194

Variable #: 140  
 SAS name: probdeme  
 SAS label: 6. Probable Dementia  
 Categories: cognitive  
 Usage Notes: none

<b>probdeme</b>	<b>PERCENT</b>	<b>Number</b>
.	74	308
-1 Present/Applies/True	26	108

Variable #: 141  
 SAS name: comments  
 SAS label: Diagnostic Impression Comments  
 Categories: cognitive  
 Usage Notes: none

Variable #: 142  
 SAS name: diagLP  
 SAS label: 1i. LP  
 Categories: cognitive  
 Usage Notes: none

<b>diagLP</b>	<b>PERCENT</b>	<b>Number</b>
.	96.4	401
0 No	3.4	14
1 Yes	0.2	1

Variable #: 143  
 SAS name: diagserology  
 SAS label: 1i. Serology  
 Categories: cognitive  
 Usage Notes: none

<b>Diagserology</b>	<b>PERCENT</b>	<b>Number</b>
.	96.4	401
0 No	3.2	13
1 Yes	0.4	2

Variable #: 144  
 SAS name: diagt4  
 SAS label: 1i. T4 count  
 Categories: cognitive  
 Usage Notes: none

<b>diagt4</b>	<b>PERCENT</b>	<b>Number</b>
.	96.4	401
0 No	2.8	12
9 Dont Know	0.8	3

Variable #: 145  
SAS name: diagothor  
SAS label: 1i. Other  
Categories: cognitive  
Usage Notes: none

<b>diagothor</b>	<b>PERCENT</b>	<b>Number</b>
.	96.8	403
0 No	2.8	12
1 Yes	0.2	1

Variable #: 146  
SAS name: sigstroke  
SAS label: 3. Specify major or minor  
Categories: cognitive  
Usage Notes: none

<b>sigstroke</b>	<b>PERCENT</b>	<b>Number</b>
.	89.6	373
0 No	6.8	28
1 Yes	3.6	15

Variable #: 147  
SAS name: ontrial  
SAS label: On Trial Indicator variable Y-OnTrial, N-Post  
Categories: cognitive  
Usage Notes: none

<b>ontrial</b>	<b>PERCENT</b>	<b>Number</b>
N	100	416

Variable #: 148  
SAS name: cutoff  
SAS label: On-Trial End Date  
Categories: cognitive  
Usage Notes: none

<b>cutoff</b>	<b>PERCENT</b>	<b>Number</b>
.	100	416



Variable #: 149  
SAS name: p3days  
SAS label: Phase 3 Form Days  
Categories: cognitive  
Usage Notes: none

N	Mean	stddeviation	minimum	maximum
416	2823.40	591.83	1529.00	4397.00

Variable #: 150  
SAS name: f39days  
SAS label: Assoc F39 Days  
Categories: cognitive  
Usage Notes: none

N	Mean	stddeviation	minimum	maximum
416	2744.84	579.46	1459.00	4371.00

Variable #: 151  
SAS name: whenpark\_days  
SAS label: 7. Days since Parkinsons Diagnosis  
Categories: cognitive  
Usage Notes: none

N	mean	stddeviation	minimum	maximum
2	853.00	1855.45	-459.00	2165.00

Variable #: 152  
SAS name: hgtin  
SAS label: 1. Ppt Height (in.)  
Categories: cognitive  
Usage Notes: none

N	mean	stddeviation	minimum	maximum
378	61.74	3.18	50.00	69.00

Variable #: 153  
SAS name: weightlb  
SAS label: 2. Ppt Weight (lbs.)  
Categories: cognitive  
Usage Notes: none

N	mean	stddeviation	minimum	maximum
390	149.44	32.05	106.00	276.00

Variable #: 154  
SAS name: sbpstan  
SAS label: 3. Standing Blood Pressure (systolic)  
Categories: cognitive  
Usage Notes: none

<b>N</b>	<b>mean</b>	<b>stddeviation</b>	<b>minimum</b>	<b>maximum</b>
373	142.16	21.62	88.00	208.00

Variable #: 155  
SAS name: dbpstan  
SAS label: 3. Standing Blood Pressure (diastolic)  
Categories: cognitive  
Usage Notes: none

<b>N</b>	<b>mean</b>	<b>stddeviation</b>	<b>minimum</b>	<b>maximum</b>
373	76.71	12.22	50.00	125.00

Variable #: 156  
SAS name: sbpsit  
SAS label: 4. Sitting Blood Pressure (systolic)  
Categories: cognitive  
Usage Notes: none

<b>N</b>	<b>mean</b>	<b>stddeviation</b>	<b>minimum</b>	<b>maximum</b>
395	142.53	21.38	90.00	207.00

Variable #: 157  
SAS name: dbpsit  
SAS label: 4. Sitting Blood Pressure (diastolic)  
Categories: cognitive  
Usage Notes: none

<b>N</b>	<b>mean</b>	<b>stddeviation</b>	<b>minimum</b>	<b>maximum</b>
395	75.53	11.68	44.00	114.00